



(Following Paper ID and Roll No. to be filled in your Answer Book)

**PAPER ID : 154104**

Roll No.

--	--	--	--	--	--	--	--	--	--

**B. Tech.**

(SEM. I) (ODD SEM.) THEORY  
EXAMINATION, 2014-15  
ELEMENTARY MATHEMATICS-I

Time : 3 Hours]

[Total Marks : 100

**SECTION - A**

1 Attempt All Parts of this question : (2×10 = 20)

(a) Evaluate :  $\lim_{\theta \rightarrow \frac{\pi}{2}} \left( \frac{1 - \cos 4\theta}{\sin 2\theta} \right)$ .

(b) If  $y = \frac{1}{\tan x} - \frac{1}{\cot x}$ , then find  $\frac{dy}{dx}$ .

(c) Find the critical points of  $f(x) = x^3 + x^2 - 8x + 1$ .

(d) Test the existence of function  $f(x) = |x|$  at  $x = 0$ .

(e) Evaluate:  $\int \left( \sqrt{x} + \frac{1}{\sqrt{x}} \right)^2 dx$

(f) Evaluate:  $\int_0^{\frac{\pi}{2}} \frac{\sin x}{1 + \cos^2 x} dx$

(g) Solve  $\log \frac{dy}{dx} = x - 2y$

(h) Find Order and Degree of given differential equation

$$\left(\frac{d^3y}{dx^3}\right)^2 - 3\left(\frac{d^2y}{dx^2}\right)^3 + 2x\frac{dy}{dx} + 6y = 0$$

(i) A bag contains 10 mangoes out of which 4 are rotten. Two mangoes are taken out together. If one of them is found to be good, find the probability that other is also good.

(j) State Rolle's Theorem.

### SECTION-B

2 Attempt Any **Three** Parts of the following : **(10×3=30)**

(a) Differentiate:  $y = \sin\sqrt{x + \log(\tan x)}$

(b) Examine the continuity of  $f(x)$  at  $x = 0$ .

$$f(x) = \begin{cases} \frac{\sin 2x}{x} & , \text{when } x \neq 0 \\ 1 & , \text{when } x = 0 \end{cases}$$

(c) Find the area bounded by curves  $y = |x - 1|$ ,  $y = 0$  and  $|x| = 2$ .

(d) Solve:  $\cos^2 x \frac{dy}{dx} + y = \tan x$ .

(e) A bag contains 5 white, 7 red and 8 black balls. If four balls are drawn one by one with replacement, what is the probability that (i) none is white ? (ii) only two are white ? (iii) one is white ?

### SECTION-C

**Note :** Attempt Any **Two** Parts from each **[(2×5)×5=50]** question of this section :

3 (a) Differentiate:  $y = \tan^{-1} \sqrt{\frac{1-\cos x}{1+\cos x}}$ .

(b) Evaluate:  $\lim_{x \rightarrow 0} \left( \frac{e^x + e^{-x} - 2}{x^2} \right)$ .

(c) Find the slope of curve  $y = 3x^4 - 4x^2 + 6$  at  $(1, -1)$  and  $(-1, 2)$ .

4 (a) Find  $\frac{dy}{dx}$ , if  $y = (\cos x)^{(\cos x)^{\cos x \dots \dots \infty}}$ .

(b) Find the percentage error in calculating the area of ellipse, when error of +1% is made in measuring the major and minor axis.

(c) Find the Maxima and Minima for the function  $f(x) = x + \sin 2x$  in interval  $0 \leq x \leq 2\pi$ .

5 (a) Evaluate:  $\int \frac{2x}{(x^2+1)(x^2+2)} dx$ .

(b) Evaluate:  $\int_0^{\pi} \frac{x \tan x}{\sec x + \cos x} dx$ .

(c) Find the Area of curve bounded by parabola  $y^2 = 4ax$  and a line  $y = mx$ .

- 6 (a) Solve  
 $3e^x \tan y \, dx + (1 + e^x) \sec^2 y \, dy = 0$ ; given  $y(0) = \frac{\pi}{4}$ .
- (b) If  
 $y = A \cos nx + B \sin nx$ , then prove that  $\frac{d^2 y}{dx^2} + n^2 y = 0$ .
- (c) Solve:  $\frac{dy}{dx} = e^{x-y} + x^2 e^{-y}$ .
- 7 (a) Two cards are drawn at random from a pack of 52 cards. What is the probability that The drawn cards are both aces?
- (b) A speaks truth 4 out of 5 times. A die is tossed. He reports that there is a six. What is The chance that actually there was a six?
- (c) If E and F are events such  
 that  $P(E) = 0.4, P(F) = 0.8$  and  $P\left(\frac{F}{E}\right) = 0.6$ , then  
 Find  $P\left(\frac{E}{F}\right)$  ?
-