Printed Pages: 4	426/428/450	NEE302/EEE302/EE304
(Following Paper	ID and Roll N	No. to be filled in your
Answer Book)		
Paper ID: 121322 121302 / 12131	KOII NO I	
	R. Tech	· · · · · · · · · · · · · · · · · · ·

## (SEM. III) THEORY EXAMINATION, 2015-16

## **ELECTRICAL MEASURMENT & MEASURING** INSTRUMENTS

[Time: 3 hours] [Total Marks: 100] Section A

- Attempt all questions from the following: (10x2=20)1.
  - Differentiate between accuracy and precision. (a)
  - (b) What limitations were overcome by modified De-Sauty's Bridge?
  - (c) Give the range for measurment of low, medium and high resistance.
  - What is the need of standardization of AC (d) potentiometers?
  - Three resistors have the following ratings: (e)  $R_1 = 200\Omega \pm 5\%$ ,  $R_2 = 100\Omega \pm 5\%$ ,  $R_3 = 50\Omega \pm 5\%$ . Determine the magnitude of resultant resistance and limiting errors in % and in ohms if the resistances are connected in series.

- (f) Compare digital instruments with analog instruments.
- Define burden of instrument transformers.
- Discuss the advantage of Lloyd Fisher square over Epstein square.
- Why the secondary of current transformer should (i) never be open while the primary winding is energized?
- What Lissajous pattern will appear on screen when two eqaul voltages of equal frequency but with 90% phase displacement are applied to a CRO?

## Section B

Attempt any five questions from the section: (5x10=50.)

- Explain the construction and working of electrodynamometer type wattmeter.
  - What are the different sources of errors in electrodynamometer type wattmeter? How these errors can be corrected?
- Discuss different detectors used in a.c. bridges. 3. Enumerate different methods for the measurment of inductance.
  - (b) Derive balance equation of Anderson's Bridge along with its phasor diagram. Mention advantages and disadvantages of this bridge.

- Explain the concept behind digital measurments.
  - Describe the working of ramp type DVM with suitable diagram.
- 5. Describe the constructilion and working of fluxmeter.
  - Prove that the flux is proportional to the deflection of flux-meter.
- Describe various errors in energy meter. How are 6. they eliminated?
  - Explain why splitting is not necessary in this case while in single phase power factor meter phase splitting has to be done necessary by using R in one circuit and L in other circuit of moving coils.
- Describe how high currents and voltages are measured with the help of instrument transformers. Draw diagram to illustrate your answer.
  - Derive the expression for ratio and phase error in case of current transformer
- Describe the construction and working of Weston type frequency meter for the measurment of frequency.
- 9. Explain the working of Cathode Ray Oscilloscope (CRO).
  - Discuss the differences between dual scope and dual beam CRO.

## Section C

Attempt any two questions from this section.(15x2=30)

- 10. (a) Distinguish between the null type and deflecting type of instruments. Cite examples to supprt your answer.
  - (b) Discuss the role of null type instrument in the measurment of low range resistances.
  - (c) Derive the condition for balance with suitable circuit diagram of Kelvin's Double bridge.
- 11. (a) Describe the construction and working of a polar type potentiometer.
  - (b) What are the functions of transfer instrument and the phase shifting transformer?
  - (c) Explain how iron losses can be measured in a specimen through wattmeter method.
- 12. (a) Describe with phasor diagram, how capacitance can be measured by Schering bridge.
  - (b) What is the concept behind digital measurment? Draw the block diagram of Digital multimeter.